
Topclass Solar

Nb181608 100





Nb181608 100



L-Com / Infinite Electronics

Stock Status: Call For Stock(shipping delay possible)Average lead time for this brand: 1-2 weeks. Specific products may vary. Real Time Stock Check ITEM #: 6215617 L-COM's NB181608-100 18 in

NB181608-100 L-com

Find the best pricing for L-com NB181608-100 by comparing bulk discounts from 9 distributors. Octopart is the world's source for NB181608-100 availability, pricing, and technical specs and other electronic





18x16x8" UL® Listed 120 VAC Weatherproof Enclosure

UL® Listed Enclosures The NB181608-10FS-UL is approved and listed with UL, meeting the stringent requires for Communication Enclosure System 40XX. The

NB181608-100 L-com , Boxes, Enclosures, Racks , DigiKey

NB181608-100 - Enclosure Fiberglass/Polyester Gray Hinged Door 19.550" L x 17.550" W (496.57mm x 445.77mm) X 9.000" (228.60mm) from L-com. Pricing and Availability on millions of





18x16x8 Inch 120 VAC Vented Weatherproof Enclosure

Mounting Plate The modified aluminum mounting plate included with the NB181608-10V features standard surge protected duplex 120 VAC outlets and a terminal block for easy hook up to externally

NB181608-100 L-com

Datasheet Technical Specifications L-com NB181608-100 technical specifications, attributes, and parameters. Start with the Box The box is a rugged 18" x 16" x 8" weatherproof enclosure that is





18x16x8 inch 120 VAC weatherproof enclosure

L-COM's 18 x 16 x 8 in 120 VAC weatherproof enclosure with two (2) 12 W cooling fans. Constructed from molded fiberglass, it is well suited for high temperature or corrosive environments. Fully

L-com ENCL FRP 18x16x8" w/Vent Lid & 120VAC Mount Plate

The ShowMeCables NB181608-10V from L-Com is a 120 VAC NEMA fiberglass reinforced polyester enclosure of 18x16x8" size with Vented Lid & 120VAC Mounting Plate that allows users to mount





L-com NB181608-100-UL 18x16x8

The NB181608-100-UL is approved and listed with UL, meeting the stringent requires for Communication Enclosure System 40XX. The UL listing number is E326684. Use this enclosure when UL Listed

NB181608-10F L-com , Boxes, Enclosures, Racks , DigiKey

Order today, ships today. NB181608-10F - Enclosure Fiberglass/Polyester Light Gray Hinged Door 19.550" L x 17.550" W (496.57mm x 445.77mm) X 10.000" (254.00mm) from L-com. Pricing and





18x16x08 Fiberglass Reinf Polyester FRP Weatherproof Outdoor IP66

Constructed from molded fiberglass reinforced polyester, it is well suited for high temperature or corrosive environments. The integrated mounting flange allows it to be mounted directly to any flat

L-com NB181608-10V Vented Weatherproof Enclosure, 18x16x8in, NB

L-com HyperLink Family , NB Series -- 120 VAC Vented Weatherproof Enclosure:The box is a rugged 18" x 16" x 8" weatherproof enclosure that is ideal for both indoor and outdoor applications.







18x16x8 Inch Universal 120-240 VAC Weatherproof Enclosure

Mounting Plate The aluminum mounting plate included with the NB181608-E00 features a duplex 120-240 VAC Universal EURO outlet and a terminal block for easy hook up to externally provided line

NB181608-100-UL L-com

Find the best pricing for L-com NB181608-100-UL by comparing bulk discounts from 6 distributors. Octopart is the world's source for NB181608-100-UL availability, pricing, and technical specs and





NB181608-100-UL , 18x16x8" UL® Listed 120 VAC Weatherproof

UL® Listed Enclosures. The NB181608-100-UL is approved and listed with UL, meeting the stringent requires for Communication Enclosure System 40XX. The UL listing number is E326684. Use this

18x16x08 Fiberglass Reinf Polyester FRP Weatherproof Outdoor IP24

Mounting Plate The modified aluminum mounting plate included with the NB181608-10F features standard surge protected duplex 120 VAC outlets and a terminal block for easy hook up to externally





NB181608-100-UL L-com , Boxes, Enclosures, Racks , DigiKey

Order today, ships today. NB181608-100-UL - Enclosure Fiberglass/Polyester Gray Hinged Door 19.550" L x 17.550" W (496.57mm x 445.77mm) X 10.000" (254.00mm) from L-com. Pricing and

Contact Us

For catalog requests, pricing, or partnerships, please visit: https://www.topclasspoolspa.co.za